


Cennik NOVA O



Infolinia: 570 570 564
biuro@meblicante.pl
www.meblicante.pl



MEBLICANTE
design for office.



NOVA O



Opis	Sz.	Gł.	Wys.	Symbol	Cena netto
					Desktop colour M1 M1D2 D5 D3 N2 D2 D1 N3 D4 Legs colour E A M T1 Desktop thickness 2



	Desk	1200	700	740	DNA122-O	966	1046,5
		1400	700	740	DNA142-O	989	1058
		1600	700	740	DNA162-O	1035	1104
		1800	700	740	DNA182-O	1253,5	1357



	Desk with a cut-out for grommet (ZNZ010 must be ordered)	1200	700	740	DNA123-O	966	1046,5
		1400	700	740	DNA143-O	1035	1081
		1600	700	740	DNA163-O	1058	1150
		1800	700	740	DNA183-O	1253,5	1357
	Desk with a cut-out (scallop) for wire management	1200	700	740	DNA126-O	1012	1115,5
		1400	700	740	DNA146-O	1035	1127
		1600	700	740	DNA166-O	1092,5	1207,5
		1800	700	740	DNA186-O	1207,5	1345,5



	Desk	1200	800	740	DNA120-O	1035	1092,5
		1400	800	740	DNA140-O	1046,5	1127
		1600	800	740	DNA160-O	1092,5	1196
		1800	800	740	DNA180-O	1173	1288
	Desk with a cut-out for grommet (ZNZ010 must be ordered)	1200	800	740	DNA121-O	1035	1092,5
		1400	800	740	DNA141-O	1081	1150
		1600	800	740	DNA161-O	1115,5	1230,5
		1800	800	740	DNA181-O	1253,5	1368,5



	Desk with a cut-out (scallop) for wire management	1200	800	740	DNA125-O	1035	1138,5
		1400	800	740	DNA145-O	1058	1150
		1600	800	740	DNA165-O	1115,5	1230,5
		1800	800	740	DNA185-O	1230,5	1368,5
	Desk	1200	600	740	DNA124-O	874	966
		1400	600	740	DNA144-O	943	1012



	Single row 2-desk bench with cut-outs for grommet (ZNZ010 must be ordered)	2400	800	740	DNS241-O	1897,5	2104,5
		2800	800	740	DNS281-O	1943,5	2127,5
		3200	800	740	DNS321-O	2058,5	2288,5
		3600	800	740	DNS361-O	2288,5	2564,5
	Single row 2-desk bench with cut-outs (scallop) for wire management	2400	800	740	DNS246-O	862,5	920
		2800	800	740	DNS286-O	874	954,5
		3200	800	740	DNS326-O	920	1023,5
		3600	800	740	DNS366-O	1000,5	1115,5



	Supplementary unit for single row 2-desk bench with a cut-out for grommet (ZNZ010 must be ordered)	1200	800	740	DND121-O	862,5	920
		1400	800	740	DND141-O	908,5	977,5
		1600	800	740	DND161-O	943	1058
		1800	800	740	DND181-O	1081	1196
	Supplementary unit for single row 2-desk bench with a cut-out (scallop) for wire management	1200	800	740	DND126-O	862,5	966
		1400	800	740	DND146-O	885,5	977,5
		1600	800	740	DND166-O	943	1058
		1800	800	740	DND186-O	1058	1196



	2-desk bench	1200	1440	740	DNS123-O	1633	1794
		1400	1440	740	DNS143-O	1679	1817
		1600	1440	740	DNS163-O	1771	1909
		1800	1440	740	DNS183-O	2208	2415
	2-desk bench with cut-outs for grommet (ZNZ010 must be ordered)	1200	1440	740	DNS125-O	1633	1794
		1400	1440	740	DNS145-O	1771	1863
		1600	1440	740	DNS165-O	1817	2001
		1800	1440	740	DNS185-O	2208	2415

	2-desk bench with cut-outs (scallop) for wire management	1200	1440	740	DNS127-O	1725	1932
		1400	1440	740	DNS147-O	1771	1955
		1600	1440	740	DNS167-O	1886	2116
		1800	1440	740	DNS187-O	2116	2392
	2-desk bench	1200	1640	740	DNS122-O	1759,5	1874,5
		1400	1640	740	DNS142-O	1782,5	1943,5
		1600	1640	740	DNS162-O	1874,5	2081,5
		1800	1640	740	DNS182-O	2035,5	2265,5


	2-desk bench with cut-outs for grommet (ZNZ010 must be ordered)	1200	1640	740	DNS124-O	1759,5	1874,5
		1400	1640	740	DNS144-O	1851,5	1989,5
		1600	1640	740	DNS164-O	1920,5	2150,5
		1800	1640	740	DNS184-O	2196,5	2426,5
	2-desk bench with cut-outs (scallop) for wire management	1200	1640	740	DNS126-O	1759,5	1966,5
		1400	1640	740	DNS146-O	1805,5	1989,5
		1600	1640	740	DNS166-O	1920,5	2150,5
		1800	1640	740	DNS186-O	2150,5	2426,5



	4-desk bench	2400	1440	740	DNS243-O	3059	3381
		2800	1440	740	DNS283-O	3151	3427
		3200	1440	740	DNS323-O	3335	3611
		3600	1440	740	DNS363-O	4209	4623
	4-desk bench with cut-outs for grommet (ZNZ010 must be ordered)	2400	1440	740	DNS245-O	3059	3381
		2800	1440	740	DNS285-O	3335	3519
		3200	1440	740	DNS325-O	3427	3795
		3600	1440	740	DNS365-O	4209	4623

	4-desk bench with cut-outs (scallop) for wire management	2400	1440	740	DNS249-O	3243	3657
		2800	1440	740	DNS289-O	3335	3703
		3200	1440	740	DNS329-O	3565	4025
		3600	1440	740	DNS369-O	4025	4577
	4-desk bench	2400	1640	740	DNS242-O	3323,5	3553,5
		2800	1640	740	DNS282-O	3369,5	3691,5
		3200	1640	740	DNS322-O	3553,5	3967,5
		3600	1640	740	DNS362-O	3875,5	4335,5

	4-desk bench with cut-outs for grommet (ZNZ010 must be ordered)	2400	1640	740	DNS244-O	3323,5	3553,5
		2800	1640	740	DNS284-O	3507,5	3783,5
		3200	1640	740	DNS324-O	3645,5	4105,5
		3600	1640	740	DNS364-O	4197,5	4657,5
	4-desk bench with cut-outs (scallop) for wire management	2400	1640	740	DNS247-O	3323,5	3737,5
		2800	1640	740	DNS287-O	3415,5	3783,5
		3200	1640	740	DNS327-O	3645,5	4105,5
		3600	1640	740	DNS367-O	4105,5	4657,5

NOVA O

Opis		Sz.	Gł.	Wys.	Symbol	Cena netto	
		Desktop colour M1 M1D2 D5 D3 N2 D2 D1 N3 D4 Legs colour E A M T1 Desktop thickness 2					
	Crescent desk with a cut-out for grommet (L/H, with metal frame). ZNZ010 must be ordered	1400	1200	740	DNL141-O	1368,5	1495
		1600	1200	740	DNL161-O	1437,5	1552,5
		1800	1200	740	DNL181-O	1506,5	1621,5

	Crescent desk with a cut-out for grommet (R/H, with metal frame). ZNZ010 must be ordered	1400	1200	740	DNR141-O	1288	1437,5
		1600	1200	740	DNR161-O	1391,5	1552,5
		1800	1200	740	DNR181-O	1564	1702
	Supplementary unit (edge w=600 mm)	800	600	740	DNC080-O	552	586,5