




COMPETITIVE PRICE



YAN_Z









YAN_Z

Side desk storages for both single desks and benches act as a construction element reducing the need for an additional leg thus maximizing the space underneath the desk. Wide variety of storage solutions allows for a tailor-made office interior.





 ZBN08L
 DESK 1800/8800/740

 KRT74L
 PEDESTAL 402/800/740

 UN16
 MFC MODESTY PANEL 1600/18/400

 SAVA
 CHAIR 660/610/1050-1150

EXAMPLES OF STORAGE ARRANGEMENTS







 ZBN16L
 EXTENDING ELEMENT 1600/1600/740


 BZB16
 WORKTOP - DOUBLE 1600/1600/83

 KRT74LP
 X 2 PEDESTAL 402/800/740

 KRT74L
 PEDESTAL 402/800/740

 KRT74P
 PEDESTAL 402/800/740

\$16 X 4 METAL CABLE TRAY 1150/162/123 \$93 X 2 VERTICAL HITCH 470/62/34 \$293 X 2 ZIG-ZAG PANEL 1590/26/350 \$AVA X 4 CHAIR 660/610/1050-1150





YAN is a simple yet multi-functional system which blends well into an office space arrangement.

Its' flexibility allows for a quick response to different office work requirements.


Sliding desk tops give easy access to cable management.

Distinctive panel designs enable to build an office of a particular character.


YAN_Z

YAN has been designed to offer the possibility of combining different components into a multi functional office layout. Tambour or sliding door storages, high or desk level can be used as an end element. Different height and functionality pedestals may act as both dividing or finishing section, individual or team storage.





BZB14 X 2 WORKTOPS -DOUBLE 1400/1600/83 BA2L08 X 2 TAMBOUR STORAGE 1600/432/740
S14 X 4 METAL CABLE TRAY 950/162/123
ZT2 X 2 CITY PANEL1370/47/360
SAVA X 4 CHAIR 660/610/1050-1150



 ZBN14L
 DESK 1400/1600/740

 BA2L08
 TAMBOUR
 STORAGE 1600/432/740

 S14
 X 2 CABLE TRAY
 950/162/123


 ZT2
 PANEL CITY 1370/47/360

 ZS01
 SLIDING DOOR STORAGE 2000/434/1129

 SAVA
 X 2 CHAIR 660/610/1050-1150



EXAMPLES OF STORAGE ARRANGEMENTS



YAN_T











YAN T






BRN01 MANAGERIAL DESK WITH STORAGE 1600/1870/740 **UN16** MFC MODESTY PANEL 1600/18/400 **SAVA** CHAIR 660/610/1050-1150



YAN managerial storage was designed to optimize and organize the work space. It is a construction element of the desks eliminating the need for additional leg. Thought through storage interior allows to hide a computer box as well as suspension files and personal belongings.



YAN_T



BRN08R X 2 HEIGHTS ADJUSTABLE DESK S18 X 2 METAL CABLE TRAY

VERTICAL CABLE DUCTIN Ø140/750 S94 **A3504** STORAGE 801/432/1129 A3104HZ X 2 STORAGE WITH HPL FRONT **SAVA** X 2 CHAIR 660/610/1050-1150



YAN not only serves your present day basic needs but provides an answer to growing demands of the future office. YAN offers desks with manual height regulation. When the need arises you can comfortably set and regulate the height to your liking and situation.





YAN_M









YAN was developed in such a way that essential ideas can be exchanged. This is why you can use the panels interchangeably by dividing your workplace into straight or intersecting sections. In our offer, you can find five different types of panels which differentiate themselves by shape, finish and color.




One of the most important elements in planning your ergonomic office space, is the functionality of your office furniture. YAN system offers a solution for creating workstations using Cargo containers. Cargo fulfills its role not only as a construction element but also as a place to rearrange all of your crucial documents.

This type of arrangement is important in achieving optimal performance.



BLN06L EXTENDING ELEMENT 1600/800/740 **S16** METAL CABLE TRAY 1150/162/123 **S87** CPU HOLDER 212/460/660


KCD80P CARGO PETESTAL 402/800/1100 **SAVA** CHAIR 660/610/1050-1150



EXAMPLES OF CARGO STORAGE ARRANGEMENTS



YAN_M



BLN16L EXTENDING ELEMENT 1600/1600/740 **KRT73P** PEDESTAL 402/800/740 **KRT73L** PEDESTAL 402/800/740

PL180 EXTENSION 1600/600/28
S16 X 2 METAL CABLE TRAY 1150/162/123
ZM16 ACOUSTIC PANEL 1596/38/350
SAVA X 2 CHAIR 660/610/1050-1150






The main attribute of the YAN system is the possibility of easy configuring individual desks and benches in a number of ways.

Desk tops can be supported by metal legs, which come in four shapes to choose from, or different storage solutions.

By enlarging the work area with extending elements, a space for greater interaction can be easily build.





YAN_C










YAN C

YAN promotes simplicity combined with a great variety and choice. Apart from many different styled panels, legs and storages there are different solutions for cable management.

Combine vertical and horizontal cable organizer options to create a hassle free workspace environment.


Each solution is universal for different YAN styles.



Elegant mediabox provides access to a power supply. It can be used in desk tops and conference tables.



YAN_C



 BUN22
 STRAIGHT DESK 1800/800/740

 M04
 MEDIABOX 4X230V; 2XRJ45; 1XUSB


 S18
 METAL CABLE TRAY 1350/162/123

 UN16
 MFC MODESTY PANEL 1600/18/400

ZS01 SLIDING DOOR STORAGE 2000/432/1129

CAN11 CANOE LAMP 1105/360/360 **SAVA** CHAIR 660/610/1050-1150






ST12 TABLE Ø1200/730 **ZW818** X 3 FREE-STANDING PANEL **GAYA** X 5 CHAIR 660/510/825



DRIVE



CTA05 X 2 STRAIGHT DESK WITH ELECTRICT HEIGHT ADJUSTMENT 1800/800/650/1300

ZM618 FABRIC PANEL FOR SINGLE DESK 1800/38/650 ZN13 X 4 DIVISORY FABRIC SIDE PANEL 800/38/650

IKDT13 X 3 PEDESTAL 402/600/586

A2L06 X 4 TAMBOUR STORAGE 1200/432/740 **S94** X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

SAVA CHAIR 660/610/1050-1150

CTA04 \times 2 straight desk with electrict height adjustment 1600/800/650/1300 zm616 \times 2 fabric panel for single desk 1600/38/650


S94 X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

IKCD80 CARGO PEDESTAL 402/800/1100

IKDT12 PEDESTAL 402/600/586 **SAVA** CHAIR 660/610/1050-1150









DRIVE is an electric height regulation desks which allows for customized standing and sitting positions and is a great ergonomically solution. The electrical height regulator, located underneath the work surface, simplifies changes in positions depending on one's office needs. Changing position during long working hours increases work effectiveness, productivity and health. To create an intimate climate, DRIVE allows you to add acoustic panels. There are two types of acoustic panels which fit perfectly both horizontally and vertically to the worktop.




DRIVE DRIVE bench gives the opportunity of quick and easy adjusting to individual needs without compromising on functionality and space. Each work counter has its own individual mechanism which works independently. DRIVE bench can be equipped with fabric panels to divide a work surface for more privacy. Dividing the work surface does not, in any way, reduce the access to the horizontal cable management underneath the work top.

38










BUN24S TABLE 1300/1400/740
BUN24L TABLE 1300/1400/740
M04 MEDIABOX 4X230V; 2XRJ45; 1XUSB
BUN24P TABLE 1300/1400/740
M04 MEDIABOX 4X230V; 2XRJ45; 1XUSB
IA3P06 X 2 SLIDING DOOR STORAGE 1200/432/1129
HPR2 X 2 HANDLES PRO 160/110/20
SNL16 SUNBEAN LAMP Ø1440/410
GAYA X 8 CHAIR 660/510/825



YAN PANELS

YAN panels present different styles to suit individual needs. Functionality of panels together with the diversity of design and characteristic patterns give you customized work area in a new look.





ACOUSTIC PANELS


MFC PANELS WITH FABRIC SCREENS MFC PANELS







CITY PANELS





Open workspaces do not have to be boring. Vibrant colors and diverse forms of panels, break up the static nature of the system, promoting creative inventiveness.



ZIG-ZAG PANELS

YAN_PANELS



ACOUSTIC PANELS h350 mm



ACOUSTIC PANELS h650-800 mm






ACOUSTIC PANELS h650-800 mm

YAN ELEMENTS

YAN presents a large variety of ways in which a desk top can be supported. These include four different shapes of legs, and several storage options. It allows for creating simple yet functional work areas.





YAN ELEMENTS





CABLE MANAGEMENT



VERTICAL CABLE HITCH S93 CPU HOLDER S83



VERTICAL CABLE DUCTING S94 FOR HEIGHT ADJUSTABLE DESKS




VERTICAL CABLE DUCTING S81 TOP ACCESS M05

M04 – the product has been developed with several solutions to guarantee an easy, in-built arrangement of all wires required for electricity, telephone and data transfer



MEDIABOX M04: 2XRJ45, 1XUSB, 4X230V



HORIZONTAL METAL CABLE TRAY

- DIFFERENT LENGTHS
- UNIVERSAL FOR INDIVIDUAL DESK OR BENCH SOLUTIONS



SAVA

SAVA is a fusion of class and originality. The customized chair mechanisms allow for the adjustment to one's personal taste and posture.

Its rich palette of fabrics, and bold colors is an asset in creating a modern office.



GAYA

This is the ideal popular chair utilized in conference rooms, waiting rooms, reception areas and entrance halls. There are two types of chrome bases available: a 4 legged base or a sleigh runner. They are easily stackable.











BLN06 1200-800-740 1600-800-740 BLN04 BLN08 1400-800-740 1800-800-740



BLN02L BLN06L 1200-800-740 1600-800-740 BLN04L BLN08L 1400-800-740 1800-800-740



BLN01 1600-1870-740 BLN03 1800-1870-740



BLN05 1600-3740-740 BLN07 1800-3740-740



BLN12 BLN16 1200–1600–740 1600–1600–740 BLN14 BLN18 1400-1600-740 1800-1600-740



BLN12L BLN16L 1200–1600–740 1600–1600–740 BLN14L BLN18L 1400-1600-740 1800-1600-740



PL180

1600-600-28


1200-800-740 1600-800-740 ZBN04 ZBN08 1400-800-740 1800-800-740



1200-800-740 1600-800-740 ZBN04L ZBN08L 1400-800-740 1800-800-740



1600-1870-740 ZBN03 1800-1870-740



1600-3740-740 ZBN07 1800-3740-740



1200-1600-740 1600-1600-740 ZBN14 ZBN18 1400-1600-740 1800-1600-740



1200-1600-740 1600-1600-740 1600-600-28 ZBN14L ZBN18L 1400-1600-740 1800-1600-740



BRN06 1200-800-740 1600-800-740 BRN04 BRN08 1400-800-740 1800-800-740



BRN02L BRN06L 1200-800-740 1600-800-740 BRN04L BRN08L 1400-800-740 1800-800-740



BRN01 1600-1870-740 BRN03 1800-1870-740




BRN02R BRN06R 1200-800-640/840 1600-800-640/840 BRN04R BRN08R 1400-800-640/840 1800-800-640/840




BUN21 BUN19 1200-800-740 1600-800-740 BUN20 BUN22 1400-800-740 1800-800-740



BUN02L BUN06L 1200-800-740 1600-800-740 BUN04L BUN08I 1400-800-740 1800-800-740



BUN01 1600-1870-740 BUN03 1800-1870-740



BUN05 1600-3740-740 BUN07 1800-3740-740



BUN12 BUN16 1200-1600-740 1600-1600-740 BUN14 BUN18 1400-1600-740 1800-1600-740



BUN16L BUN12L 1200-1600-740 1600-1600-740 BUN14L BUN18I 1400-1600-740 1800-1600-740



PL180 1600-600-28



CTA20 CTA40 1200-1690-650/1300 1600-1690-650/1300 CTA30 CTA50 1400-1690-650/1300 1800-1690-650/1300



CTA02 CTA04 1200-800-650/1300 1600-800-650/1300 CTA03 CTA05 1400-800-650/1300 1800-800-650/1300



ZN13 800-38-650



ZD812 ZD816 1196-38-800 1596-38-800 **ZD814 ZD818** 1396–38–800 1794–38–800



KCD80P KCD80LP 402-800-1100 402-800-1100 402-800-1100



KRT74LP



KRT73P KRT73LP KRT73L



KDT74LP KDT74L



KDT73P KDT73LP KDT73L 402-800-740 402-800



BA3P08



KCD80L

BA2P08

KRT74P



KRT74L

BA2L08



KDT74P

1200-800-83 1600-800-83 B7B04 B7B08 1400-800-83 1800-800-83



BZB12 BZB16 1200-1600-83 BZB14 1600-1600-83 B7B18 1400-1600-83 1800-1600-83



UN10 UN14 1000-18-400 1400-18-400 UN12 UN16 1200-18-400 1600-18-400



IKDT12 402-600-586







IKRT64 402-600-740





ZP10 1190-26-350





1170-47-360 1570-47-560 ZT2



ZT3



ZN12P



1190-38-350 1590-38-350

ZT4 1790-26-350 1370-47-360 1770-47-560



ZN10 787-24-350

ZN12 ZN16 1190-18-350 1590-18-350 ZN14 ZN18 1390-18-350

1790-18-350

1190-46-350 1590-46-350 ZN14P ZN18P 1390-46-350 1790-46-350

ZM11 800-38-350

ZM14 ZM18

1390-38-350 1790-38-350



ZW612 7W616 7W812 7W816 650-38-1200 650-38-1600 800-38-1200 800-38-1600 ZW614 ZW618 ZW814 ZW818 650-38-1400 650-38-1800 800-38-1400 800-38-1800



7M812 7M816 1200-38-800 1600-38-800 ZM814 ZM818

1800-38-800



7M612 7M616 1200-38-650 1600-38-650 ZM614 ZM618 1400-38-650 1800-38-650





1200-432-740






1200-432-750



1200-432-1129





1600-432-740






1618-432-740

1400-38-800















1618-432-1129



1400-432-600

800-432-740



IA3L06 1200-432-1129

IA2L08 1600-432-740

1600-432-1129

IA2L09 1618-432-740

1618-432-1129














































1000-432-2185









S93




















2XRJ45 1XUSB 4X230V



275-120-25















1200-432-1833 1200-432-1833





S14 S18 950-162-123 1350-162-123

